

SCHILLER
A M E R I C A S



TMX 428 CP

High quality, low maintenance treadmill

Programmable Controller TREADMILL

The TMX428CP can be operated in diagnostic mode (interfaced with a stress computer) or non-interfaced, independent mode. When the interface is active, only the emergency stop buttons on the controller are enabled.



Once the computer program is closed, the controller reverts to full functionality. The controller can be operated manually and also has 5 pre-programmed stress protocols (Bruce, Gerkin, Naughton, Balke-M, Balke-F) and 5 pre-programmed fitness workouts. Additionally, there are 5 user defined, custom programs with 10 stages each.

In manual mode, the large, bright display shows Speed, Pace, Elapsed Time, Elevation, Distance, Calories, METS, Heart Rate and Target Heart Rate (user defined). Calculations are determined by ACSM formulas based on user weight, age and gender.

In pre-programmed or user programmable mode, the display will prompt the user to enter required data and will graphically display progress in the mode selected. If fitness or user defined modes are selected, elevation and speed

TMX 428 CP

FEATURES

- ❖ Displays include
 - ❖ Protocol/ work out name
 - ❖ Stage number
 - ❖ Stage time countdown
 - ❖ Speed (mph/kph)
 - ❖ Pace (minutes/mile or km)
 - ❖ Distance (miles or km)
 - ❖ METS, total calories
 - ❖ Elevation
 - ❖ Bodyweight, age, gender input
 - ❖ Elapsed time
- ❖ Message center
 - ❖ Displays customized information
 - ❖ Prompts unfamiliar users
 - ❖ Quick programming inputs
 - ❖ Diagnostic log, hour meter
- ❖ Two built-in accessory holders
- ❖ 5 preprogrammed medical protocols
- ❖ 5 preprogrammed fitness workouts
- ❖ 5 user programmable workouts, 10 stages each
- ❖ Dual stop switches and safety tether
- ❖ Calories/METS based on user weight, age, gender
- ❖ Quick start, speed, elevation commands
- ❖ Cool down command

SCHILLER
A M E R I C A S

Call us: **1-888-845-8455**

Visit us at **schillerservice.com**

10903 NW 33rd St, Doral, FL 33172, USA